

## Receiving Report

Date: 9/11/10

Batch No: M113134

Supplier: MAGNA

Dart P/O: 10728

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☐ No ☒ N/A ☐  
 Shipment Complete: Yes ☐ No ☒ N/A ☐  
 QC6 Inspection ☒ N/A ☐  
 Work Order ☐ N/A ☒

### Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M2024T	35.032	64	0	0	64	
M2024T	35.000	32	0	0	32	
M174B	200 x .150	12	0	0	12	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 9/11/10  
 Date  
 Received/Costing [Signature]  
 Initial

Location \_\_\_\_\_



**Magna Stainless**  
5775 Kieran St, Saint-Laurent QC H4S 0A3  
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

# INVOICE

Pg 1 of 1 I019233

RECEIVED

NOV 16 2009

SOLD TO:

DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY , ON  
K6A 1K7

SHIP TO:

DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY , ON  
K6A 1K7

MTR:Y

INVOICE DATE:	11/10/09
ORDER DATE:	11/09/09
SHIP DATE:	11/10/09
ORDER NUMBER:	W021135
PURCHASE ORDER:	P010729

Currency	Sales Person	Ship Via	F.O.B.	Terms
CANADIAN DOLLARS	ERYCK BLAIS	NIR:R-557065-1	PREPAID	NET 30 DAYS

Ln	Back Ordered	Ordered	Unit	Description	Shipped	Price Per	Value
		5	PC	ALUMINUM ANGLES AAN 6063 T5 3/4" x 3/4" x 1/16" x R/L L020061 21' 5 PC/11 LB C OF C WILL BE FOR HE ALUM	5 UN	5.00	25.00
		9	PC	STAINLESS ROUNDS SRB 303 3/4" x R/L L031096 12'1" 9 PC/164 LB	9 UN	54.00	486.00

11/11/09 11:22:21

Merchandise:	511.00
Surcharges:	
No Tax Costs:	
GST	25.55
Total Due:	536.55

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471  
G.S.T. # 881565899 RT0001

# Purchase Order Receipt Listing

Page 1 of 1

November 10, 2009 8:11:00 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO10729 Receipt Dates from 11/10/2009 to 11/10/2009 All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-MAG002 Magna Stainless									
PO10729	1		M303R0.750 f	f	11/11/2009	11/10/2009	108.9000	\$4.50	0.0000	0	CL \$490.05
CAD	No		303 Round Bar 0.750 f	f	108.0000	Stores		\$490.05	0.0000	0	
			113134								
	2		M6063T5A0.750W.0 f	f	11/11/2009	11/10/2009	105.0000	\$0.25	0.0000	0	CL \$26.25
			63								
	No		Angle6063T5 .750 f	f	100.0000	Stores		\$26.25	0.0000	0	
			X.750 X.063w								
			113134								
Total Received Quantity:										213.9000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$516.30	
Total Balance Due Quantity:										0.0000	

CL 09/11/12



# Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3  
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

## PACKING LIST

I019233

Page: 1 of 1

SOLD TO:  
DART AEROSPACE LTD  
1270 ABERDEEN STREET

SHIP TO:  
DART AEROSPACE LTD  
1270 ABERDEEN STREET

SPECIAL INSTRUCTIONS

HAWKESBURY, ON  
K6A 1K7  
Contact: CHANTAL

HAWKESBURY, ON  
K6A 1K7  
Ship Terms: PREPAID

MTR:Y

Currency		Sales Person	Customer Phone	Customer Fax	Customer PO		
CANADIAN DOLLARS		ERYCK BLAIS	(613) 632-5200	(613) 632-1053	P010729		
Sales Order	Terms		Ship Via		Date Ordered	Date Required	Date Shipped
W021135	NET 30 DAYS		NIR:R-557065-1		11/09/09	11/10/09	11/10/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
5		PC	ALUMINUM ANGLES AAN 6063 T5 3/4" x 3/4" x 1/16" x R/L 21' 11 LB / 5 PC C OF C WILL BE FOR HE ALUM	L020061	NA	5
9		PC	STAINLESS ROUNDS SRB 303 3/4" x R/L 12'1" 164 LB / 9 PC	L031096	423312	9
Bundles: 1				Approx	Weight:	175 LB

*Chantal 09/11/12*

Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Signature: \_\_\_\_\_



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO10729

Purchase Order Date 11/09/09

PO Print Date 11/09/09

Page Number 1 of 2

Order From :

VC-MAG002

MAGNA STAINLESS  
5775 RUE KIERAN  
ST LAURENT, QC H4S 0A3  
CA

**FXED**  
11/09/09

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 363 6646

514 339 1105

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Ship To :

DART AEROSPACE LTD 1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M303R0.750	303 Round Bar 0.750	11/11/09 Yes	108.00	Yours ppd	\$4.5000	\$486.00
		Special Inst:	MATERIAL: 303 ROUND BAR NOTE: AISI 304/316 NOT ACCEPTABLE				
2	M6063T5A0.750W.063	Angle 6063T5 .750 X .750 X .063w	11/11/09 Yes	100.00	Yours ppd	\$0.2500	\$25.00
		Special Inst:	6063-T6 ANGLE .750" X .750" X .063 WALL CAN ONLY SUPPLY C OF C				
3	M2024T3S.032	2024-T3 .032 sheet	11/17/09 Yes	64.00	Yours ppd sf	\$7.0312	\$450.00
		Special Inst:	MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209				

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

Change Nbr: 1

Change Date: 11/09/09



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO10729

Purchase Order Date 11/09/09  
PO Print Date 11/09/09

Page Number 2 of 2

Order From :

VC-MAG002

MAGNA STAINLESS  
5775 RUE KIERAN  
ST LAURENT, QC H4S 0A3  
CA

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

4	M2024T3S.050	2024-T3 .050 sheet	11/17/09 Yes	32.00 sf	Yours ppd	\$9.2188	\$295.00
---	--------------	--------------------	-----------------	-------------	-----------	----------	----------

Special Inst: AS ABOVE

5	M174B2.000X01.500	17-4 SS Bar 2.00 x 1.500	11/17/09 Yes	12.00 f	Yours ppd	\$50.0000	\$600.00
---	-------------------	--------------------------	-----------------	------------	-----------	-----------	----------

Special Inst: MATERIAL: 17-4 PH SS BAR  
AS PER AMS 5604/5643  
GRAIN MUST BE ALONG LENGTH OF  
BAR  
MINIMUM YIELD TENSILE STRENGTH  
= 100 KSI  
MINIMUM ULTIMATE TENSILE  
STRENGTH = 150 KSI

PO Total:

\$1,856.00

MATERIAL CERTIFICATION  
REQD UPON DELIVERY

Change Nbr: 1

Change Date: 11/09/09

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

## Receiving Report

Date: 9/11/10

Batch No: M113134

Supplier: MAGNA

Dart P/O: 10729

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☐ No ☒ N/A ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection ☒ N/A ☒  
 Work Order ☐

### Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M2024T	35.032	64	0	0	64	
M2024T	35.050	32	0	0	32	
M174B	new x.150	12	0	0	12	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 9/11/10  
 Date  
 Received/Costing [Signature]  
 Initial

Location \_\_\_\_\_

# Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO  
ABNAHMEPRUEFZEUGNIS  
INSPECTION CERTIFICATE  
CERTIFICAT DE RECEPTION  
EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client

VALBRUNA CANADA LTD

8724 HOLGATE CRESCENT

L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Hersteller/Item/Usine producteur

Avviso di Spedizione: D-VI09017149  
Lieferschein/Packing list/B.L.

Ordine nr: 907002333 Stock - Canada  
Bestell./Your order/Commande

Tipo di Elaborazione: E+AOD  
Erschmelzungsart/Smelting process/Mode d'elaboration

Certificato nr: MEST774991/2009/  
Prüfung/Test/Essai

Conferma ordine nr: EI09004135  
Works/Our Order/Ref. nr.

Marchio di Fabbrica:  
Zeichen des Lieferanten  
Trade mark  
Sigle de l'usine productrice

Punzone del Collaudatore:  
Stempel des Werkssachverständigen  
Inspector's stamp/Pointon de l'essayeur



Oggetto Prove: - Annealed Cold Drawn  
Prüfgegenstand/Item Inspected/Finissage

Specifiche:  
Anforderungen / Requirements / Exigences

VAL CANADA 2 303 A,CF

ASTM A314 2008 S30300

DOD-F-24669 6 S30300

(Q) SEC.II PT.A 2007 EDITION ADD. 2008a

AMS 5640 U TYPE1  
ASTM A320 2008 B8F  
MIL-S-862 B/1 303

ASME SA320 2007 B8F (Q)  
ASTM A582 2005 S30300  
QQ-S-764 B/2 303

Qualità: 303

Werkstoff/Grade/Nuance

Marca: MV188ZHS MAXIVAL

Markenbezeichnung/Brand/Nuance

Punzonatura: 303

Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descrip. du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Tolleranz. Tolerance	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losn. Lot nr. Lot nr.
0010	Round	0,7500	484-06B	146 / 147	423312		4.744	834700760

Sono state soddisfatte tutte le condizioni richieste  
Die gestellten Anforderungen sind erfüllt  
The material has been furnished in accordance with the requirements  
Le matériel a été livré conforme aux exigences

Controllo antimescolanza: OK  
Verwechslungsfreiheit: spezialanalytisch durchgeführt  
Antimixing testing performed: OK  
Contrôle antimélange fait: i.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze:  
Beichtigung und Ausmessung: ohne Beanstandung  
Visual inspection and dimensional checks: satisfactory  
Contrôle visuel et dimensions: satisfaisant

TEST ALLO STATO DI FORNITURA													Controllo visivo et dimensions: satisfaisant		
Test on delivery condition Prüfung auf Lieferbereitem produkt test a l'état de fourniture Prueba sobre el material así como entregado															
TEST	Provetta/Probostab Specimen/Éprouvette Long. diam. Spéc. Buche Diam. Dicke Wirth Diam. Thickness Larg. diam. épais mm	°F	Posiz. Saggio Position Location Emploiment 1)	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement		Strizione Einschnürung Reduction of area Suction RA %	Resilienza Kerbschlagarbeit Impact Value Résilience	Durezza Härte Hardness Dureté HB				
							E 4d %	35							
Valori richiesti 1 Anforderungen/Required values Valeurs demandées		min max		30	-	75	-	35	-	50	-	140 241			
A	12,5	68	L	70		101		43		51				239	

1) L=longitudinale/längs, T=transversale/quer, Q=Tangenziale/tangential

## Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata /Heat Schmelze/Coulée	min - max 0,150	1,00	2,00	17,00 19,00	0,60	1,00	8,00 10,00	0,15	0,15 0,40	0,400	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %			
423312	0,035	0,45	1,96	17,68	0,35	0,60	8,50	0,109	0,03	0,33	0,004			

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940 °F for 0,5h/water.

Micro and macro etch test: OK

Material is DFARS Compliant

Melted and manufactured in Italy

No welding or weld repair

Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1.s.,4.3 by TUEV and LLOYD'S

Vicenza, 29/07/09

VCO010

(Mod. MCEI)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 1

**MAGNA INOXYDABLE  
INC.**

5775 RUE KIERAN  
ST-LAURENT, QUEBEC  
H4S 0A3 (514) 339-1211, 1-800-363-6646

**CERTIFICAT DE CONFORMITE**  
**CERTIFICATE OF CONFORMANCE**

**DATE:** November 9, 2009

**COMPAGNIE / DART AEROSPACE LTD**  
**COMPANY:**  
**ATTENTION:**

**VOTRE/YOUR #:** PO10729

**DATE DE LA COMMANDE / 11/09/09**  
**ORDER DATE:**

**NOTRE / OUR #:** I019233

<u>DESCRIPTION</u>		<u>QUANTITE/QUANTITY</u>	<u>SPECIFICATIONS</u>
<b>TYPE:</b>	6063 T5	5 PCS	
<b>SIZE:</b>	3/4 X 3/4 X 1/16 ANGLES		
<b>HEAT #:</b>	NA		

*enr 09/11/12*

Magna Stainless certifie que le matériel décrit ci-dessus, s'accorde aux dessins ou aux spécifications demandées sur le bon de commande et qui sont en vigueur à la date ou la commande est acceptée.

Magna Stainless certifies that the material described above is in accordance with the drawing or specifications called for on said order that is current on the date order was accepted.

**MAGNA**  
MTR #: L020061

Signed: \_\_\_\_\_

*BM* 

## Chantal Lavoie

---

**From:** Eryck Blais [eblais@magnastainless.com]  
**Sent:** November 9, 2009 10:41 AM  
**To:** 'Chantal Lavoie'  
**Subject:** RE: QUOTE

THANK YOU  
ERYCK

---

**From:** Chantal Lavoie [mailto:clavoie@dartaero.com]  
**Sent:** Monday, November 09, 2009 8:38 AM  
**To:** Eryck Blais  
**Subject:** QUOTE

Please advise price & delivery on material.

303 round bar .750" x 100 ft 9PCS 54.00 EA STK ✓

6063t5 angle .750" x .750" x .063 wall x 100ft 5 PCS 5.00 EA CAN ONLY SUPPLY C OF C ✓

17-4 bar 2" x 1.5" x 12 ft 600.00 EA 5-7 DELAY ~~50.00~~ 284 ✓

2024t3 sheet .032 x 64sf 2 PCS 225.00 EA 5-7 DELAY 7.03125 ✓

2024t3 sheet .050 x 32sf 1 PC 295.00 EA 5-7 DELAY 9.21875 ✓

Thanks  
Chantal

	2.41210526			
[ M174B2.000X01.500 ]	3	0	2.96	1
	2.28653157			
<del>M6061T6T0.500W.035</del>	4	0	488.6538	60
	2.10526315		45.5694736	
D3800-3-200RevB	8	0	8	4
99770094	2	0	8	4
A1449	2	0	1211	95
AN310-6	2	-1	24	20
AN4-47A	2	0	133	0
AN6-26	2	-1	22	12
AN815-6D	2	0	10	10
AN8C21A	2	-8	114	100
AN960C816L	2	-4	260	200
AN960JD3	2	0	142	50
BLRS-001	2	0	10	2
CR3213-4-2	2	0	4	50 50
D2202-1P	2	0	1	0
D2202-3P	2	0	1	0
D2429-041RevC1	2	0	17	0
D2694RevH	2	0	0	0
D3015-7RevB	2	0	16	0
D3108-1RevB1	2	0	3	0
D3108-7RevB1	2	0	16	4
D3110-3RevC	2	-1	3	0
D3110-5RevC	2	0	1	0
D3113-1RevB	2	0	15	0
D3119-041PRevB	2	0	0	0
D3119-042PRevB	2	0	0	0
D3154-1RevB	2	-1	41	0
D3482-7RevB	2	0	9	2
D3495-1RevA	2	0	4	0
D3687-3RevB	2	0	15	4
D3938-1	2	0	0	0
D3938-1RevB	2	0	0	0
D3938-3RevB	2	0	0	0
D3941-12RevA	2	0	4	0
D3941-40RevA	2	0	4	0
DCS549	2	0	5	0
LED-42-14	2	0	4	0
MS17984-C413	2	0	12	6
MS20819-8D	2	0	52	40
MS21042-4	2	0	113	0
MS21059L08	2	0	219	50
MS21919-DG44	2	0	6	4
MS24524-31	2	0	4	4
MS27039-1-22	2	0	126	10
NAS1149D0416J	2	0	175	0
NAS1515H8L	2	-6	81	50
NAS43DD3-48FC	2	0	15	6
SV-CC3251	2	0	0	0

D2024RevU/R	57.6	0	0	0
	57.4908608			
<del>M6061T6T1-000W-188</del>	8	0	79.60646	40
MS27039C4-08	56	0	117	6
AN3C36A	54	0	134	50
MS21250-03004	54	0	80	10
	53.6792105			
D3800-3-100RevB	3	0	140.258	4
	53.1706473			
<del>M6061T6R0-625</del>	7	0	108.3857	40
AN3C6A	52	0	904	200
MS21920-28	52	-6	170	0
MS27039-1-06	52	0	968	20
	51.0526315			
<del>M6063T5A0-750W-063</del>	8	0	51	6
AN310-4	50	0	64	20
D2646PRevC	50	0	50	0
D2965PRevB	50	0	0	0
AN6-40A	49	0	108	50
MS24694-S67	49	0	103	50
AN4-5A	48	0	190	100
AN526C632R8	48	0	312	50
AN960C4	48	0	108	50
D3683-1RevA	48	0	4430	10
D3683-3RevB	48	0	0	0
MS27039C1-05	48	0	263	100
NAS1149F0316P	48	0	96	50
NAS9307/M-4-03	48	0	314	6
			369.023684	
D2856-400RevA	47.7908579	-30	2	108
AN3C3A	47	0	513	200
CR3212-4-03	46	0	292	100
NAS1611-010	46	0	338	200
	45.3052631			
<del>M6061T6B0-500X05-000</del>	6	0	157.4	12
MS25036-102	45	0	125	50
	44.0266157		170.703984	
D2461RevA	9	0	2	50
PFSC35-38A	44	0	98	0
	43.9912789			
D2462RevA1	5	-50	771.168	50
MS20426AD3-5	42	0	15845	3704
MS24665-2-12	42	0	172	0
086-004	40	0	25	0
AN3-37A	40	-4	763	300
AN5-30A	40	0	107	50
C23225	40	0	0	0
D2731-3PRevB	40	0	0	0
D2731-7PRevB	40	0	0	0
D3394-1PRevA	40	0	0	0
MS20426AD4-9	40	0	0	0
MS21069-04	40	0	1143	10
			86	20

<del>M304S12GA</del>	89.56	0	225.59	32
<del>AN960JD10LL</del>	88	0	3969	3000
	84.0758210		627.802568	
D2463RevA	5	-10	4	50
D2732-030RevB1	84	0	0	0
AN3-6A	82	-11	116	50 50
<del>AN5-36A</del>	82	-4	415	200
AELS-1032-225	80	-84	0	0
<del>AN5-11A</del>	80	0	193	50
CR1122-3-02.5	80	0	100	50
CR3243-4-4	80	0	315	0
MS20601-AD4W4	80	0	131	10
NAS1149C0332	80	0	0	0
	78.7371789		203.312231	
<del>M2024T3S.032 (MSE)</del>	5	0	6	64
	77.5064840		270.288168	
M304TR0.500W.035	2	0	2	60
	76.5292105			
D3800-1-100RevB	3	0	40.804	4
AN526C832R10	76	0	95	50 50
CCR264SS3-3	76	0	163	20
AN526C832R14	74	0	935	200
	72.2315789			
<del>M174PH-H900R1-375</del>	5	0	57.6	4
AN4-41A	72	0	142	0
AN960C516L	72	0	217	100
D3394-3PRevA	72	0	0	0
D2622-120CPRRevC1	71.04	0	0	0
AN4-7A	71	0	232	100
AN3C12A	70	0	370	50
MS21920-20	70	0	151.3	0
AN526C832R9	69	0	314	200
	66.7365263			
<del>M4130NT0.750W.049</del>	2	0	167.57	60
AN3C46A	66	-25	79	50
	64.2339947		88.4766789	
<del>M303R0.750</del>	4	0	5	60
	64.2252740			
<del>M6061T6S.125</del>	3	0	104.5981	96
AN3-35A	64	0	441	50
AN3C41A	64	-2	192	100
AN4C47A	64	-8	124	40
AN5-12A	64	0	197	50
D2747RevB	64	-20	297	50
D3672-11RevB	64	0	167	40
NAS1149D0832J	64	0	90	0
D3012-1RevA	62	0	36	0
NAS1149D0563J	61	0	98	0
AN526C1032R7	60	0	134	10
SSA4/6-122-315-310N	60	0	50	0
A3235-020-935	58	0	686	100
AN3-4A	58	0	2145	2000

